Physica C 218 (1993) 505–508
North-Holland

PHYSICA C

Author Index to Volume 218

Adachi, S., see H. Takahashi **218**, 1
Akimitsu, J., see T. Ekino **218**, 387
Andersen, N.H., see J.-E. Jørgensen **218**, 43
André, M.-O., see G. D'Anna **218**, 238
Antipov, E.V., J.J. Capponi, C. Chaillout, O. Chmaissem, S.M. Loureiro, M. Marezio, S.N. Putilin, A. Santoro and J.L. Tholence, Synthesis and neutron powder diffraction study of the superconductor $HgBa_2CaCu_2O_{6+\delta}$ before and after heat treatment **218**, 348
Arciprete, F., see A. Balzarotti **218**, 301
Ausloos, M. and M. Houssa, Thermal conductivity of an untwinned $YBa_2Cu_3O_{7-\delta}$ single crystal An alternative interpretation in terms of carrier condensation **218**, 15

Balzarotti, A., F. Arciprete, S. Colonna, M. Diociaiuti, F. Patella and M. De Crescenzi, Angular dependence of the oxygen K-edge fine structure in electron-energy loss spectra of $Bi_{2-x}Pb_xSr_2CaCu_2O_8$ **218**, 301
Bandyopadhyay, S.K., see P. Barat **218**, 63
Bang, Y., Raman scattering in a *t–J* model: slave boson large-*N* technique **218**, 251
Baranov, M.A., D.V. Efremov and M.Yu. Kagan, The enhancement of the superconductive transition temperature in quasi-2D materials in a parallel magnetic field **218**, 75
Barat, P., S.K. Bandyopadhyay, P. Dasgupta, P. Sen, U. De, S.K. Kar, P.K. Mukhopadhyay and C.K. Majumdar, Effect of pelletization pressure on texturing of a $YBa_2Cu_3O_{7-\delta}$ sample **218**, 63
Beňačka, Š., see M. Grajcar **218**, 82
Benoit, W., see G. D'Anna **218**, 238
Bernhoff, H., M. Qvarford, S. Söderholm, R. Nyholm, U.O. Karlsson, I. Lindau and A.S. Flodström, Photoemission study of the $Bi_2CaSr_2Cu_2O_8$ superconductor with Cu, Ag and Au overlayers **218**, 103
Bonadeo, H., see M. Weissmann **218**, 213
Bonville, P., see J.A. Hodges**218**, 272, 283
Böttner, R., see N. Schroeder **218**, 220
Bramley, R., see K.-P. Dinse **218**, 341
Bratsberg, H., see A.B. Riise **218**, 489
Bruynseraede, Y., see A. Steegmans **218**, 295
Buekenhoudt, A., see A. Steegmans **218**, 295

Capponi, J.J., see E.V. Antipov **218**, 348
Chaddah, P., see S.B. Roy **218**, 476
Chaillout, C., see E.V. Antipov **218**, 348
Chen, C., see A.K. Pradhan **218**, 208
Chen, L.Q., see W.J. Zhu **218**, 5
Chen, S., S. Patel, E. Narumi, D.T. Shaw, D.St. Julien and T.D. Ketcham, BSCCO-2212 thick films on a flexible YSZ substrate **218**, 191
Chmaissem, O., see E.V. Antipov **218**, 348
Choisnet, J., see F.J. Gotor **218**, 429
Chu, C.W., see Q. Huang **218**, 356
Colonna, S., see A. Balzarotti **218**, 301
Colson, D., see J.A. Hodges **218**, 272
Cornelius, A.L. and J.S. Schilling, A model calculation of the anisotropic compressibility for superconducting $HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ **218**, 369
Crabtree, G.W., see U. Welp **218**, 373

Dalichaouch, Y., M.C. De Andrade and M.B. Maple, Synthesis, transport, and magnetic properties of $Ln_{2-x}Ce_xCuO_{4-y}$ single crystals (Ln=Nd, Pr, Sm) **218**, 309
D'Anna, G., M.-O. André, W. Benoit, E. Rodríguez, D.S. Rodríguez, J. Luzuriaga and J.V. Wasczak, Flux-line response in 2H-$NbSe_2$ investigated by means of the vibrating superconductor method **218**, 238
Dasgupta, P., see P. Barat **218**, 63
De, U., see P. Barat **218**, 63
De Andrade, M.C., see Y. Dalichaouch **218**, 309
De Crescenzi, M., see A. Balzarotti **218**, 301
Den, T., see T. Ekino **218**, 387
Díaz, A., see A. Pomar **218**, 257
Dietz, E., see N. Schroeder **218**, 220
Dinse, K.-P., D.M. Wang, R. Bramley and J.W. White, Determination of the London penetration length for Rb_3C_{60} with pulsed EPR **218**, 341
Diociaiuti, M., see A. Balzarotti **218**, 301
Dong, C., see W.J. Zhu **218**, 5
Dulčić, A. and M. Požek, Microwave surface impedance in the mixed state of type-II superconductors **218**, 449

Ecke, G., see N. Schroeder **218**, 220
Efremov, D.V., see M.A. Baranov **218**, 75
Ekino, T., T. Den and J. Akimitsu, Superconducting energy gaps in $Bi_2Sr_2CuO_{6+y}$ and $Bi_2Sr_{2-x}Nd_xCuO_{6+y}$ **218**, 387
Enomoto, Y., see T. Mitsuzuka **218**, 229

Fanton, J.G., see X.D. Wu **218**, 417
Flodström, A.S., see H. Bernhoff **218**, 103
Funahashi, R., see I. Matsubara **218**, 181

Gamayunov, K., I. Tanaka and H. Kojima, Cerium distribution coefficient and its dependence on oxygen partial pressure in $Nd_{2-x}Ce_xCuO_4$ single crystal growth **218**, 437
Gas'kov, A.M., see T. Olesch **218**, 443
Genand-Riondet, N., see J.A. Hodges **218**, 272
Gerhardt, U., see N. Schroeder **218**, 220

Gervais, M., see F.J. Gotor **218**, 429
Gopalakrishnan, I.K. and J.V. Yakhmi, The influence of substitution of Th on the superconducting behaviour of $YBa_2Cu_4O_8$ **218**, 457
Gopinath, C.S., S. Subramanian, P. Sumana Prabhu, M.S. Ramachandra Rao and G.V. Subba Rao, Structure, superconductivity and XPS studies of the $Bi_{2.1}Sr_{1.93}Ca_{0.97-x}Y_xCu_2O_{8+y}$ system **218**, 117
Goshchitskii, B., see V. Voronin **218**, 407
Gotor, F.J., P. Odier, M. Gervais, J. Choisnet and Ph. Monod, Synthesis of $YBa_2Cu_3O_{7-x}$ by sol–gel route Formation of YBaCuO oxycarbonate intermediate **218**, 429
Grajcar, M., A. Plecenik, Š. Beňačka, Ju. Revenko and V.M. Svistunov, Time evolution of point contact resistances of high-T_c superconductors **218**, 82
Greene, R.L., see H. Srikanth **218**, 245
Griessen, R., see D. Tristan Jover **218**, 24
Grigoryan, L., K. Yakushi, C.-J. Liu, S. Takano, M. Wakata and H. Yamauchi, Evolution of optical absorption and superconductivity in Bi-2212 and 2223 oxides intercalated by metal-phthalocyanines. A systematical study as a function of intercalation level **218**, 153

Hauck, J. and K. Mika, Crystallography of CeO_2 containing cuprates **218**, 316
Hayashi, K., see T. Mitsuzuka **218**, 229
Hazell, S.J., see A.K. Pradhan **218**, 208
Hegman, N., see S. Mészáros **218**, 471
Hellstrom, E.E., see W. Zhang **218**, 141
Hernández-Rojas, J.L., see M.L. Lucía **218**, 59
Hinks, D.G., see U. Welp **218**, 373
Hodby, J.W., see A.K. Pradhan **218**, 208
Hodges, J.A., P. Bonville, P. Imbert, D. Colson, N. Genand-Riondet and A. Pinatel-Philippot, Magnetic properties of $YBa_2(Cu_{0.94}Zn_{0.06})_3O_x$ ($x=6.0$ to 7.0) studied by Mössbauer spectroscopy on substituted $^{170}Yb^{3+}$ **218**, 272
Hodges, J.A., G. Le Bras, P. Bonville, P. Imbert and G. Jéhanno, Magnetic correlations in $Pr_{1-x}Y_xBa_2Cu_3O_7$ studied by Mössbauer spectroscopy on substituted $^{170}Yb^{3+}$ **218**, 283
Hor, P.H., see A.Z. Moshfegh **218**, 396
Houssa, M., see M. Ausloos **218**, 15
Hu, Y., see A.K. Pradhan **218**, 208
Huang, Q., J.W. Lynn, R.L. Meng and C.W. Chu, Crystal structure of annealed and as-prepared $HgBa_2CaCu_2O_{6+\delta}$ superconductors **218**, 356
Huang, Y.Z., see W.J. Zhu **218**, 5
Hur, N.H., H.-G. Lee, J.-H. Park, H.-S. Shin and I.-S. Yang, Raman studies on single-phasic $HgBa_2CuO_{4+\delta}$ superconductors **218**, 365

Iborra, E., see M.L. Lucía **218**, 59
Ignatiev, A., see A.Z. Moshfegh **218**, 396
Imbert, P., see J.A. Hodges**218**, 272, 283

Jéhanno, G., see J.A. Hodges **218**, 283
Jia, Y.X., see M.D. Lan **218**, 69
Johansen, T.H., see A.B. Riise **218**, 489
Joosse, K., see J.G. Wen **218**, 29
Jørgensen, J.-E. and N.H. Andersen, Crystal structure and charge localization in $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_8$ for $x=0.0$–0.5 **218**, 43
Julien, D.St., see S. Chen **218**, 191

Kagan, M.Yu., see M.A. Baranov **218**, 75
Kapitulnik, A., see X.D. Wu **218**, 417
Kar, S.K., see P. Barat **218**, 63
Karlsson, U.O., see H. Bernhoff **218**, 103
Kawai, T., see I. Matsubara **218**, 181
Keith, V. and H.J.T. Smith, Trapped magnetic flux in polycrystalline $YBa_2Cu_3O_7$ **218**, 8
Kemnitz, E., see T. Olesch **218**, 443
Ketcham, T.D., see S. Chen **218**, 191
Khasanov, R.I., Yu.M. Vashakidze and Yu.I. Talanov, ESR investigation of the superconducting critical state in YBaCuO single crystals **218**, 51
Kino, G.S., see X.D. Wu **218**, 417
Klavins, P., see M.D. Lan **218**, 69
Kojima, H., see K. Gamayunov **218**, 437
Konishi, M., see T. Mitsuzuka **218**, 229
Kouznetsova, T.A., see T. Olesch **218**, 443
Kovba, M.L., see A.F. Maiorova **218**, 137
Kozhevnikov, V., see V. Voronin **218**, 407
Kuchiev, M.Yu. and O.P. Sushkov, Large-size two-hole bound states in the t–J model **218**, 197
Kumar, S., see S.B. Roy **218**, 476
Kushnir, V., see F. Onufrieva **218**, 463

Lan, M.D., J.Z. Liu, Y.X. Jia, L. Zhang, Y. Nagata, P. Klavins and R.N. Shelton, Dissipative flux motion in $YBa_2Cu_{3-x}Fe_xO_{7-\delta}$ single crystals **218**, 69
Le Bras, G., see J.A. Hodges **218**, 283
Lee, H.-G., see N.H. Hur **218**, 365
Li, D.X., see S.-C. Lin **218**, 130
Libbrecht, S., see A. Steegmans **218**, 295
Lin, S.-C., D.X. Li, R. Semiat, J.T. Richardson and D. Luss, SHS of $YBa_2Cu_3O_{6+x}$ using large copper particles **218**, 130
Lindau, I., see H. Bernhoff **218**, 103
Liu, C.-J., see L. Grigoryan **218**, 153
Liu, J.Z., see M.D. Lan **218**, 69
Liu, R.S., see D. Tristan Jover **218**, 24
Loureiro, S.M., see E.V. Antipov **218**, 348
Lucía, M.L., J. Santamaría, E. Iborra, J.L. Hernández-Rojas and F. Sánchez-Quesada, Texture improvement of sputtered $YBa_2Cu_3O_{7-x}$ films on MgO (100) with a $SrTiO_3$ buffer layer **218**, 59
Luss, D., see S.-C. Lin **218**, 130
Luzuriaga, J., see G. D'Anna **218**, 238
Lykov, A.N., The matching effect in superconducting layered structures **218**, 485
Lynn, J.W., see Q. Huang **218**, 356

Maiorova, A.F., S.N. Mudretsova, M.L. Kovba, A.S. Monaenkova and A.A. Popova, Thermochemical

characteristics of nonstoichiometric $Ba_2Cu_3O_5$ II. Thermal transformations **218**, 137
Majumdar, C.K., see P. Barat **218**, 63
Maple, M.B., see Y. Dalichaouch **218**, 309
Marcon, R., see E. Silva **218**, 109
Marezio, M., see E.V. Antipov **218**, 348
Marquardt, S., see N. Schroeder **218**, 220
Martynovich, A.Yu., Magnetic vortices in anisotropic superconductor film **218**, 19
Maso, G.N., see T. Olesch **218**, 443
Matacotta, F.C., see E. Silva **218**, 109
Matsubara, I., R. Funahashi, T. Ogura, H. Yamashita, Y. Uzawa, K. Tanizoe and T. Kawai, Conversion of $Bi_2Sr_2CaCu_2O_x$ whiskers to the $Bi_2Sr_2Ca_2Cu_3O_x$ phase by annealing in powder **218**, 181
Meng, R.L., see Q. Huang **218**, 356
Mesarwi, A., see A.Z. Moshfegh **218**, 396
Mészáros, S., K. Vad and N. Hegman, Current transfer in grain-boundary junctions of Bi(Pb)SrCaCuO thick films **218**, 471
Mierzejewski, M. and J. Zieliński, Anisotropic superconductivity in the two-dimensional Hubbard model **218**, 424
Mika, K., see J. Hauck **218**, 316
Minnhagen, P., see L. Xu **218**, 94
Mirmelstein, A., see V. Voronin **218**, 407
Mitsuzuka, T., K. Yamaguchi, S. Yoshikawa, K. Hayashi, M. Konishi and Y. Enomoto, The microstructure and *I–V* characteristics of step-edge Josephson junctions in $YBa_2Cu_3O_7$ films on MgO(100) steps **218**, 229
Mitzi, D.B., see X.D. Wu **218**, 417
Monaenkova, A.S., see A.F. Maiorova **218**, 137
Monod, Ph., see F.J. Gotor **218**, 429
Môri, N., see H. Takahashi **218**, 1
Moshchalkov, V.V., see A. Steegmans **218**, 295
Moshfegh, A.Z., Y.Q. Wang, Y.Y. Sun, A. Mesarwi, P.H. Hor and A. Ignatiev, Co-deposited thin films of $YBa_2Cu_3O_{7-\delta}$–Ag **218**, 396
Mudretsova, S.N., see A.F. Maiorova **218**, 137
Mukhopadhyay, P.K., see P. Barat **218**, 63

Nagashima, T., see K. Takanaka **218**, 379
Nagata, Y., see M.D. Lan **218**, 69
Narumi, E., see S. Chen **218**, 191
Navrotsky, A., see E. Takayama-Muromachi **218**, 164
Nyholm, R., see H. Bernhoff **218**, 103

Odier, P., see F.J. Gotor **218**, 429
Ogura, T., see I. Matsubara **218**, 181
Olesch, T., E. Kemnitz, A.M. Gas'kov, T.A. Kouznetsova and G.N. Maso, New AES measurements on chlorinated tetragonal $YBa_2Cu_3O_{7-x}$ phases **218**, 443
Onufrieva, F., V. Kushnir and B. Toperverg, Evolution of spin dynamics with doping in copper oxide superconductors within the *t–t'–J* model The doped AF state **218**, 463

Park, J.-H., see N.H. Hur **218**, 365
Patel, S., see S. Chen **218**, 191
Patella, F., see A. Balzarotti **218**, 301
Peng, J.L., see H. Srikanth **218**, 245
Pinatel-Philippot, A., see J.A. Hodges **218**, 272
Plecenik, A., see M. Grajcar **218**, 82
Pomar, A., A. Díaz, M.V. Ramallo, C. Torrón, J.A. Veira and F. Vidal, Measurements of the paraconductivity in the *a*-direction of untwinned $Y_1Ba_2Cu_3O_{7-\delta}$ single crystals **218**, 257
Popova, A.A., see A.F. Maiorova **218**, 137
Požek, M., see A. Dulčić **218**, 449
Pradhan, A.K., S.J. Hazell, J.W. Hodby, C. Chen, Y. Hu and B.M. Wanklyn, Dissipative behaviour in single crystal $Y_{0.85}Pr_{0.15}Ba_2Cu_3O_{7-y}$ **218**, 208
Pradhan, A.K., see S.B. Roy **218**, 476
Prasad, R., see S.B. Roy **218**, 476
Provoost, R., see A. Steegmans **218**, 295
Putilin, S.N., see E.V. Antipov **218**, 348

Qvarford, M., see H. Bernhoff **218**, 103

Ramachandra Rao, M.S., see C.S. Gopinath **218**, 117
Ramallo, M.V., see A. Pomar **218**, 257
Ratz, S., see N. Schroeder **218**, 220
Raychaudhuri, A.K., see H. Srikanth **218**, 245
Ren, H.T., J.A. Xia and K.N.R. Taylor, AC susceptibility in Y_{123} and Ag-doped Y_{123} compounds prepared by the melt-textured-growth method **218**, 87
Reuvekamp, E.M.C.M., see J.G. Wen **218**, 29
Revenko, Ju., see M. Grajcar **218**, 82
Richardson, J.T., see S.-C. Lin **218**, 130
Riise, A.B., T.H. Johansen, H. Bratsberg and A.T. Skjeltorp, Mapping of magnetic field and Maxwell stress T_{zz} in a plane between a magnet and a high-T_c superconductor **218**, 489
Rodríguez, D.S., see G. D'Anna **218**, 238
Rodríguez, E., see G. D'Anna **218**, 238
Rogalla, H., see J.G. Wen **218**, 29
Rößler, H., see N. Schroeder **218**, 220
Roy, S.B., S. Kumar, A.K. Pradhan, P. Chaddah, R. Prasad and N.C. Soni, Study of minor hysteresis loops of YBaCuO: dc and ac hysteresis effects in granular samples **218**, 476
Ryu, S., see X.D. Wu **218**, 417

Sánchez-Quesada, F., see M.L. Lucía **218**, 59
Santamaría, J., see M.L. Lucía **218**, 59
Santoro, A., see E.V. Antipov **218**, 348
Sasakura, H., K. Tsuji and K. Yoshiara, Synthesis of Bi-2222 compounds not containing tetravalent ions: $Bi_2Sr_{2-x}La_{2-y}Ln_{x+y}Cu_2O_z$ (Ln=Sm, Eu, Gd and Dy) **218**, 495
Schilling, J.S., see A.L. Cornelius **218**, 369
Schroeder, N., S. Weiss, R. Böttner, S. Marquardt, S. Ratz, E. Dietz, U. Gerhardt, G. Ecke, H. Rößler and Th. Wolf, Scanning Auger and photoemission spectroscopy at the two single-cleavage $YBa_2Cu_3O_{7-\delta}$ (001) surfaces **218**, 220
Semiat, R., see S.-C. Lin **218**, 130
Sen, P., see P. Barat **218**, 63

Shaw, D.T., see S. Chen **218**, 191
Shelton, R.N., see M.D. Lan **218**, 69
Shin, H.-S., see N.H. Hur **218**, 365
Silva, E., R. Marcon and F.C. Matacotta, Flux-flow dissipation in $GdBa_2Cu_3O_7$ at microwave frequencies **218**, 109
Silverans, R.E., see A. Steegmans **218**, 295
Skjeltorp, A.T., see A.B. Riise **218**, 489
Smith, H.J.T., see V. Keith **218**, 8
Söderholm, S., see H. Bernhoff **218**, 103
Soni, N.C., see S.B. Roy **218**, 476
Srikanth, H., A.K. Raychaudhuri, J.L. Peng and R.L. Greene, Point contact tunneling studies on $(Y_{1-x}Pr_x)Ba_2Cu_3O_{7-\delta}$ single crystals **218**, 245
Steegmans, A., R. Provoost, V.V. Moshchalkov, R.E. Silverans, S. Libbrecht, A. Buekenhoudt and Y. Bruynseraede, Study of the vortex-state field distribution in superconducting Nb_3Sn by the NMR decoration technique **218**, 295
Subba Rao, G.V., see C.S. Gopinath **218**, 117
Subramanian, S., see C.S. Gopinath **218**, 117
Sumana Prabhu, P., see C.S. Gopinath **218**, 117
Sun, Y.Y., see A.Z. Moshfegh **218**, 396
Sushkov, O.P., see M.Yu. Kuchiev **218**, 197
Svistunov, V.M., see M. Grajcar **218**, 82

Takahashi, H., A. Tokiwa-Yamamoto, N. Môri, S. Adachi, H. Yamauchi and S. Tanaka, Large enhancement of T_c in the 134 K superconductor $HgBa_2Ca_2Cu_3O_y$ under high pressure **218**, 1
Takanaka, K. and T. Nagashima, Magnetic properties of superconducting uniaxial materials **218**, 379
Takano, S., see L. Grigoryan **218**, 153
Takayama-Muromachi, E. and A. Navrotsky, Superconducting, structural and thermochemical properties of $La_2CuO_{4+\delta}$ prepared by $KMnO_4$ oxidation **218**, 164
Talanov, Yu.I., see R.I. Khasanov **218**, 51
Tallon, J.L., see D. Tristan Jover **218**, 24
Tanaka, I., see K. Gamayunov **218**, 437
Tanaka, S., see H. Takahashi **218**, 1
Tanizoe, K., see I. Matsubara **218**, 181
Taylor, K.N.R., see H.T. Ren **218**, 87
Tholence, J.L., see E.V. Antipov **218**, 348
Tokiwa-Yamamoto, A., see H. Takahashi **218**, 1
Toperverg, B., see F. Onufrieva **218**, 463
Torrón, C., see A. Pomar **218**, 257
Traeholt, C., see J.G. Wen **218**, 29
Tristan Jover, D., R.J. Wijngaarden, R.S. Liu, J.L. Tallon and R. Griessen, Superconductivity at 133 K in $Tl_2Ba_2Ca_2Cu_3O_{10+x}$ under high pressure **218**, 24
Tsuji, K., see H. Sasakura **218**, 495

Uzawa, Y., see I. Matsubara **218**, 181

Vad, K., see S. Mészáros **218**, 471
Vashakidze, Yu.M., see R.I. Khasanov **218**, 51
Veira, J.A., see A. Pomar **218**, 257
Vidal, F., see A. Pomar **218**, 257
Voronin, V., A. Mirmelstein, V. Kozhevnikov and B. Goshchitskii, Neutron-diffraction study of anisotropy of crystal-lattice expansion in $La_{2-x}Sr_xCuO_4$under doping with Sr and radiation-induced disorder **218**, 407
Voronkova, V.I. and Th. Wolf, Thermomechanical detwinning of $YBa_2Cu_3O_{7-x}$ single crystals under reduced oxygen partial pressure **218**, 175

Wagner, J.L., see U. Welp **218**, 373
Wakata, M., see L. Grigoryan **218**, 153
Wang, D.M., see K.-P. Dinse **218**, 341
Wang, Y.Q., see A.Z. Moshfegh **218**, 396
Wanklyn, B.M., see A.K. Pradhan **218**, 208
Wasczak, J.V., see G. D'Anna **218**, 238
Weiss, S., see N. Schroeder **218**, 220
Weissmann, M. and H. Bonadeo, On the interaction of holes with apical oxygen vibrations in the high-T_c cuprates **218**, 213
Welp, U., G.W. Crabtree, J.L. Wagner and D.G. Hinks, Flux pinning and the irreversibility lines in the $HgBa_2CuO_{4+\delta}$, $HgBa_2CaCu_2O_{6+\delta}$ and $HgBa_2Ca_2Cu_3O_{8+\delta}$ compounds **218**, 373
Wen, J.G., C. Traeholt, H.W. Zandbergen, K. Joosse, E.M.C.M. Reuvekamp and H. Rogalla, A HREM study of the atomic structure and the growth mechanism at the $YBa_2Cu_3O_7$/YSZ interface **218**, 29
White, J.W., see K.-P. Dinse **218**, 341
Wijngaarden, R.J., see D. Tristan Jover **218**, 24
Wolf, Th., see V.I. Voronkova **218**, 175
Wolf, Th., see N. Schroeder **218**, 220
Wu, X.D., J.G. Fanton, G.S. Kino, S. Ryu, D.B. Mitzi and A. Kapitulnik, Thermal diffusivity of $Bi_2Sr_2CaCu_2O_8$ single crystals **218**, 417

Xia, J.A., see H.T. Ren **218**, 87
Xu, L. and P. Minnhagen, Self-consistent equations for the two-dimensional non-neutral Coulomb gas and vortex fluctuations **218**, 94

Yakhmi, J.V., see I.K. Gopalakrishnan **218**, 457
Yakushi, K., see L. Grigoryan **218**, 153
Yamaguchi, K., see T. Mitsuzuka **218**, 229
Yamashita, H., see I. Matsubara **218**, 181
Yamauchi, H., see H. Takahashi **218**, 1
Yamauchi, H., see L. Grigoryan **218**, 153
Yang, I.-S., see N.H. Hur **218**, 365
Yin, B., see W.J. Zhu **218**, 5
Yoshiara, K., see H. Sasakura **218**, 495
Yoshikawa, S., see T. Mitsuzuka **218**, 229

Zandbergen, H.W., see J.G. Wen **218**, 29
Zhang, L., see M.D. Lan **218**, 69
Zhang, W. and E.E. Hellstrom, The development of an aligned microstructure during melt processing of $Bi_2Sr_2CaCu_2O_x$ (BSCCO-2212) doctor-bladed films **218**, 141
Zhao, Z.X., see W.J. Zhu **218**, 5
Zhu, W.J., Y.Z. Huang, L.Q. Chen, C. Dong, B. Yin and Z.X. Zhao, Synthesis of the superconductors $HgBa_2CaCu_2O_{6+\delta}$ and $HgBa_2Ca_2Cu_3O_{8+\delta}$ **218**, 5
Zieliński, J., see M. Mierzejewski **218**, 424

Physica C 218 (1993) 509–510
North-Holland

PHYSICA C

Analytic Subject Index to Volume 218

2D vortices 94

AC susceptibility 87, 238, 476
AES 443
Angle-resolved photoemission 220
Anharmonicity 213, 407
Anisotropic compressibility 369
Anisotropic superconductor 19, 63, 75, 208, 373, 379, 417
Antiferromagnetic order 197, 283, 463
Applications of high-T_c superconductors 229, 489
Axial Cu–O bonds 43

Band structure
–of $Bi_{2-x}Pb_xSr_2CaCu_2O_8$ 301
BCS model 387
Bond valency sums 43
Bulk modulus 369

C_{60} compounds 341
Calorimetry 164
Carrier concentration 24, 424
$CO_{3\text{-}compounds}$ 429
Combustion 130
Configuration interaction 117
Critical current density 8, 51, 191, 485
Critical state model 476
Cu–O planes 407, 417

Doctor-bladed film 141
Domain structure 175
D-wave superconductor 424

Elastic moduli 19
Electrical resistivity 24, 43, 63, 257, 309, 396, 457, 495
Electron doping 153
Electronic structure 103, 117, 220, 272
Electron microscopy 301
Electron–phonon coupling 213, 417
Energy gap 197, 387
ESR 51, 341

Ferroelastic transition 175
Fluctuation effects 94, 257
Flux dynamics 69, 208
Flux flow 109, 449
Flux lattice 19, 51, 295, 341, 379, 485
Flux pinning 51, 69, 208, 238, 373, 489

Gapless superconductor 245
Ginzburg–Landau theory 379
Grain alignment 59, 63
–of $Bi_2Sr_2CaCu_2O_x$ 141
Grain boundaries 59, 229, 471
Granular superconductivity 8, 87, 109, 471

Hall effect 489
High-pressure effect 24, 369
–in $HgBa_2Ca_2Cu_3O_y$ 1
HREM 29
Hubbard model 424

Inhomogeneity 437
Intercalation 153
Interlayer coupling 153
Irradiation effect 407
Irreversibility line 373

Josephson effect 229, 471

Kosterlitz–Thouless model 19

Lattice dynamics 365
Lattice parameters 407, 457

Magnetic field 489
Magnetic susceptibility 59, 309
Magnetization 1, 5, 8, 373, 457, 476
Magnetoresistance 69, 208
Material designing 316
Metal-phthalocyanines 153
Microstructure 141
Microwave absorption 109, 449
Mixed state 51, 295, 449
Mössbauer spectroscopy 272, 283
Multilayers 485

Neutron diffraction 43, 348, 356, 407
NMR 295
Non-ohmic behaviour 208, 471
Normal-state properties 103, 309

Optical spectroscopy 153
O–T transition 443
Oxygen diffusion 82
Oxygen stoichiometry 63, 356

Pair breaking 245
Peak effect 238
Penetration depth 295, 341
Phase diagram 137, 238
Pinning force 485

Raman scattering 251, 365

Scanning Auger microscopy 220
SHS 130
Single crystals
–of $YBa_2Cu_3O_{7-x}$ 175
Slave boson 251
Sol–gel method 429
Spinal decomposition 164
Spin dynamics 463
Spin fluctuations 197
Spin susceptibility 463
Structural phase transition 181
Structure 316
–of $Ba_2Cu_3O_5$ 137
–of $Bi_{2.1}Sr_{1.93}Ca_{0.97-x}Y_xCu_2O_{8+y}$ 117
–of $Bi_{2-x}Pb_xSr_2CaCu_2O_8$ 301
–of $HgBa_2CaCu_2O_{6+\delta}$ 348, 356
–of $HgBa_2CuO_{4+\delta}$ 365
–of $Nd_{2-x}Ce_xCuO_4$ 437
–of $YBa_2Cu_3O_7$/YSZ 29
–of $YBa_2Cu_3O_{7-\delta}$–Ag 396
–of $YBa_2Cu_4O_8$ 457
–of YBCO film 229
Structure of cleaved surfaces 220
Substitution effects 316, 443
–in $Pr_{1-x}Y_xBa_2Cu_3O_7$ 283
–in $YBa_2(Cu_{0.94}Zn_{0.06})_3O_x$ ($x=6.0$ to 7.0) 272
–in $YBa_2Cu_4O_8$ 457
Synthesis 316
–of $Ba_2Cu_3O_5$ 137
–of $Bi_2Sr_2CaCu_2O_x$ 181
–of $Bi_2Sr_{2-x}La_{2-y}Ln_{x+y}Cu_2O_z$ 495
–of BSCCO-2212 191
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 5
–of $HgBa_2CaCu_2O_{6+\delta}$ 5, 348
–of $Ln_{2-x}Ce_xCuO_{4-y}$ 309
–of $Nd_{2-x}Ce_xCuO_4$ 437
–of $YBa_2Cu_3O_{6+x}$ 130
–of $YBa_2Cu_3O_{7-x}$ 429

Thermal conductivity 15, 417
Thermal diffusivity 417
Thermomechanical detwinning 175
Thin films 19, 29, 59, 191, 396
t–J model 197, 251
Triplet pairing 75
Tunneling 82, 245, 387
Two-fluid model 15
Type II superconductors 94

Upper critical field H_{c2} 69, 75, 379, 485

Whiskers 181

XPS 103, 117, 396
X-ray diffraction 5, 309, 396, 495
XY-model 257